



PRODUCT SET-UP SHEET

LAUNCH DATE		 
BRAND	Optoma	
DESCRIPTION	Optoma DS325 SVGA DLP® Projector	
SUPPLIER EAN NUMBER	5060059047703	
PART NUMBER	95.8TK01GC1E	
REGULATORY NUMBER	DAESNZZU	
MODEL NO.	DS325	
MRSP		
WARRANTY		

PROJECTOR SPECIFICATION

Specification		
ATTRIBUTE	FACT	UNIT OF MEASUREMENT
Display Technology - DLP	DLP®	
Resolution	SVGA (800 x 600)	Pixel
Brightness	2600/2100/Variable	ANSI Lumens (BRIGHT/ECO/Eco+ mode)
Contrast Ratio	13,000:1	
Lamp Life	6500/6000/5000	Hours (Eco+/ECO/BRIGHT mode)
Projection Distance	1.2 – 12m	Metre
Projected Image Size	0.70 - 7.70m (27.49" - 303.12") Diagonal 4:3	Metre / inch (Diagonal)
Throw Ratio	1.95 ~ 2.15:1	
Lens - Fixed/Zoom	1.1x Manual	
Built in Speaker	2	Watt
Weight	2.13	kg
Noise Level	28	dB (min)
Keystone Correction	±40° Vertical	Degrees
Power Consumption	233W BRIGHT mode < 0.5W Standby mode 207W STD mode < 0.5W Standby mode	Watt
Power Supply	100 - 240V, 50 - 60Hz	Volts
Inputs		
VGA	Yes	15 Pin D-Sub
Component	Yes	via adaptor
S-Video	Yes	4 Pin Mini Din
Composite Video	Yes	RCA
Control		
RS232	Yes	3 Pin
Dimensions		
Width	286	mm
Depth	192	mm
Height	84	mm
Weight	2.13	kg
Boxed Dimensions		
Width	395	mm
Depth	163	mm
Height	312	mm
Weight	2.95	kg

Features

PROJECTOR

Big Screen Viewing

Ideal for use in a meeting room or classroom, the small and stylish DS325 has a bright 2600L which allows you to project bright, crystal clear images in ambient light. Incorporating a built-in speaker and the latest DLP® and BrilliantColor™ technology the DS325 produces a 13,000:1 contrast allowing you to present picture presentations and videos with superb colours. An incredible lamp life of up to 6500 hours combined with Eco+ technology provides energy and money saving features for hassle-free, long lasting projection.

Installed or on the move, the versatile DS325 comes with a convenient carry bag allowing you to take it with you.

BRIGHT, CLEAR, FOCUSED IMAGES

Bright 2600 ANSI Lumens, Perfect for projecting in lights on environments. And with DarkChip3™ technology from Texas Instruments combined with Eco+ technology produces a stunning 13,000:1 contrast ratio for pin sharp graphics and crystal clear text. Crisper whites, ultra-rich blacks make images come alive and text easier to read - ideal for business and education presentations.

FUTURE PROOF TECHNOLOGY

Using the inherent speed of DLP® technology, Optoma 3D Ready projectors can output video and images at an astonishing rate of 120Hz, allowing you to show full screen, full colour, stereoscopic 3D from a compatible computer.

RAPID OFF

It takes less than 10 seconds for the projector to power up and shutdown, saving both time and energy.

QUICK RESUME

Save time by not waiting for the projector to cool down before it can power up again. If the projector is accidentally turned off, this feature allows the projector to be instantly powered on again, if selected within a period of 100 seconds.

AMAZING COLOURS

The DS325 incorporates BrilliantColor™ technology to produce stunningly bright images with perfectly balanced life-like colours.

WIRELESS PRESENTING (OPTIONAL EXTRA)

Making presentations couldn't be easier using the optional wireless features of the DS325. Using the Wireless Adapter you can connect and display presentations and video material wirelessly from a laptop, PC or mobile device. (Additional power required)

ACCESSORIES INCLUDED	
Power Supply	Quick Start Guide
VGA Cable	User Manual (CD)
Remote inc. Batteries	Warranty Card
	WEEE Card

OPTIONAL ACCESSORIES	
Universal Ceiling Mount	WPS-III wireless adapter
Optoma Screen	

Key Features

- 2600 ANSI Lumens
- Native SVGA resolution
- 13,000:1 Contrast Ratio – Sharp, crystal clear images
- 3D Ready
- BrilliantColor™ technology - bright, vibrant projected images
- Lightweight and Portable
- Kensington Lock & Password Security – extra security for your projector

PRODUCT IMAGES



Additional Information

TEST REPORTS		
CE Report	Report No.	
CB Report	Certif No.	
FCC Report	Report No.	
PRODUCT RECYCLE		
Product		
PACKAGING / WASTE		
Material	Weight	
Plastic		
Cardboard		
Other		
PALLET DIMENSIONS		
	Air	Sea
QTY PER LAYER	18	
NUMBER OF LAYERS	4	
TOTAL UNITS per PALLET	72	
COMMODITY CODE		
UK WEEE PRODUCER REG. NUMBER	WEE/HA0196VQ	